

This listing of claims will replace all prior versions, and listings, of claims in the application.

### LISTING OF CLAIMS

1. (original) A component operating with bulk acoustic waves, comprising:
  - 5        an acoustic mirror comprising an electrically conductive mirror layer that acts as a coupling layer;
  - a signal path along which an electrical signal is guided; and
  - a number  $N$  of resonators that are electrically connected to one another and each having a lower and an upper electrode, with  $n$  resonators,10        where  $2 \leq n \leq N - 1$ , being arranged jointly and alongside one another on the acoustic mirror, the  $n$  resonators being coupled to one another via coupling capacitances that are formed: a) by lower electrodes of the  $n$  resonators, and b) by at least one of the coupling layer and further capacitively coupled electrically15        conductive mirror layers, with the  $n$  resonators being arranged and electrically connected to one another such that the coupling capacitance does not bridge any of the resonators in the signal path.
- 20    2. (original) The component as claimed in claim 1, wherein two resonators that are arranged in the signal path and are capacitively coupled to one another via their lower electrode are in each case either: a) not electrically connected to one another, or b) are electrically connected to one another only via the lower25        electrode.
3. (original) The component as claimed in claim 1, further comprising further electrically conductive mirror layers.

4. (original) The component as claimed in claim 3, wherein at least one of the further electrically conductive mirror layers acts as a further coupling layer.
5. (original) The component as claimed in claim 3, wherein two or more of the  
5 electrically conductive mirror layers are structured, with at least two of the structured electrically conductive mirror layers being capacitively coupled to one another.
6. (original) The component as claimed in claim 5, wherein the resonators that  
10 are arranged on the acoustic mirror are capacitively coupled to one another via the capacitively coupled structured mirror layers.
7. (original) The component as claimed in claim 3, wherein at least some of the  
n resonators are in the form of series resonators.
- 15
8. (original) The component as claimed in claim 1, wherein the n resonators are in the form of parallel resonators.
9. (original) The component as claimed in claim 8, further comprising an  
20 inductance via which the parallel resonators are each connected to ground.
- 10-11. (canceled).
12. (original) The component as claimed in claim 1, further comprising a carrier  
25 substrate on which the acoustic mirror is arranged

Appl. No. 10/734,067  
Reply to Office Action of April 5, 2005

13. (original) The component as claimed in claim 12, wherein the carrier substrate comprises two or more dielectric layers, with a metallization level being provided between each two successive dielectric layers.